Bladder Pain/ Interstitial Cystitis Symptom Score (BPIC-SS)

completed by study staff

To be

When answering the following questions, please think about the PAST 7 DAYS								
		Never	Rarely	Sometimes	Most of the time	Always		SCORE
1.	In the past 7 days when you urinated, how often was it because of pain in your bladder ?	\Box_o		\square_2	□₃	□4		
2.	In the past 7 days, how often did you still feel the need to urinate just after you urinated?			\square_2	□₃			
3.	In the past 7 days, how often did you urinate to avoid pain in your bladder from getting worse?	\square_o	\square_1					
4.	In the past 7 days, how often did you have a feeling of pressure in your bladder ?					□4		
5.	In the past 7 days, how often did you have pain in your bladder ?			Del	\square_3	\square_4		
		Not at all	A little	Somewhat	Moderately	A great deal		
6.	In the past 7 days, how bothered were you by frequent urination during the daytime?	4 0,		\square_2	□₃			
7.	In the past 7 days how bothered were you by having to get up during the night to urinate?	(®)	\square_1	\square_2	□₃			
8. Select the number that best describes your worst bladder pain in the past 7 days								
b	No ladder Pain				·	Worst possible bladder pain	_	
	0 1 2	□ □ 3 4	5 6	7	□ □ 8 9	□ 10		
Add the scores for each question together to give a total BPIC-SS score TOTAL SCORE =								

Total score ranges from 0 - 38. A total score can only be calculated if ALL questions are completed by the patient